

CSI: Astigmatism post TORIC

Handout

Dr. Braga-Mele

DDx: Residual cyl

Inaccurate measurements/data

- Dry eyes (as always)
- Basement membrane dystrophy, ...
- Irregular astigmatism (Kconus and other ectasia, pterygium, Salzmann, ...)
- Contact lens warpage
- Not taking into account the posterior cornea
- Axis not taken from the topo
- Inaccurate ELP
- Wrong SIA or abnormal wound (too central, distorted++, burned, <u>sutured</u>...)

• Tilted IOL

- Sector of weak zonules
- Not fully in the bag
- Material/fragments left in the bag
- Haptic not fully deployed, stuck behind lens
- Sector of contraction of the capsule
- Iris cyst?

Wrong orientation

- Errors from the surgeons (marked when patient supine, head tilt, wrong orientation of the marker, confused the IOL axis w the main wound axis on the printout...)
- Rotated IOL
 - Big bag in a big myopic eye, w/o tension ring
 - OVD left
 - While hydrating the wounds
 - Patient's fault (trauma, or went to his yoga class...)
- Inaccurate IOL
 - Mislabelling
 - Wrongly picked
 - Wrong patient (same last name, etc)

Causes of Residual Astigmatism

Wrong LocationPoor MeasurementsPoor CalculationsSurprising SIAPosterior KsIOL RotatedPoor IOL Placement

Rotate IOL

Will Rotating IOL Help?

Remember: astigmatismfix.com Wrong Lens Poor Measurements Poor Calculations Surprising SIA Posterior Ks

IOL Xchange or LVC